






POS.	DESCRIPTION	MATERIAL	QTY
1	modified flange DN40 CF	1.4404 (316L)	1
2	coaxial f/t type BNC, 500V, 3A, grounded shield, weldable	Stainless Steel	2



air side connectors included

All informations provided in this drawing is considered to be confidential, proprietary and secret information. It is intended only for the use of individual or entity to whom it is sent. Individual or entity agrees to not disseminate or copy this information to anyone other than originally specified without the written consent Allectra GmbH.		Verwendetes Material (USED MATERIAL)		Bemerkung (REMARKS)		Kanten (EDGES)		PROJECTION	
Oberfläche (SURFACE) Cleaned UHV- Compatible		Rauheit (ROUGHNESS) √		Maßstab (SCALE): 1:1		Gewicht (WIGHT):		g	
origin name Allectra standard		DATE		NAME		Bl. (page)		page pages	
origin (drw/sketch/part no)		Design 09.11.2023		AD		A4		1 1	
date of origin		Drawn 09.11.2023		AD					
00 first origin		Check 10.11.2023		JB					
		Approv 10.11.2023		AD					
				Benennung (DESCRIPTION):		Zeich. Nr. (Drw. No.):		REV	
				2 off BNC f/t on flange DN40 CF		241-BNC-C40-2		00	
REV	Beschreibung (CHANGING)	LAST SAVE DAT.: 10.11.2023		part. no. 241-BNC-C40-2					