



POS-NR.	DESCRIPTION	MATERIAL	QTY
1	modified flange DN16 KF	1.4301 (304)	1
2	coaxial f/t type BNC, 500V, 3A, grounded shield, weldable	Stainless Steel	1



air side connector including



All informations provided in this drawing is considered to be confidential, proprietary and secret information. It is intended only for the use of individual or entity to whom it is sent. Individual or entity agrees to not disseminate or copy this information to anyone other than originally specified without the written consent Allectra GmbH.		Verwendetes Material (USED MATERIAL)		Bemerkung (REMARKS)		Kanten (EDGES)		PROJECTION	
Oberfläche (SURFACE) Cleaned UHV- Compatible		Rauheit (ROUGHNESS) √		Maßstab (SCALE): 1:1		Gewicht (WIGHT):		33.61g	
origin name Allectra standard		DATE		NAME		Bl. (page)		page pages	
origin (drw/sketch/part no)		Design		27.06.2023		A4		1 1	
date of origin		Drawn		27.06.2023					
00		Check		27.06.2023					
First rev.		Approv		27.06.2023					
				Benennung (DESCRIPTION):				REV	
				1 off BNC f/t on flange DN16 KF		Zeich. Nr. (Drw. No.): 241-BNC-K16		00	
REV	Beschreibung (CHANGING)	LAST SAVE DAT.: 27.06.2023		part. no. 241-BNC-K16					