






POS-NR.	DESCRIPTION	MATERIAL	QTY
1	modified flange DN40 CF	1.4404 (316L)	1
2	coaxial f/t, type N, 3KV, 5A, 50 Ohm, grounded shield, weldable	Stainless Steel	2



SCALE 1:2



<1 E-10 mbar\*l/sec, He, according to DIN EN 1779-A3  
Definition Leckprüfung (definon leak check)

Zeichnung Nutzung (SCOPE OF DRAWING) Drawing external usage for customer		Prüfung Zubehör. (CON + HSG CHECK)		Bemerkung (REMARKS)		Kanten (EDGES)		PROJECTION	
All informations provided in this drawing is considered to be confidential, proprietary and secret information. It is intended only for the use of individual or entity to whom it is sent. Individual or entity agrees to not disseminate or copy this information to anyone other than originally specified without the written consent Alletra GmbH.		Werkstoff (MATERIAL): Gewicht (WEIGHT):		Toleranz (TOLERANCE):					
		Oberfläche (SURFACE):		DIN EN ISO 13920-C (welding ASSY)					
Cleaned UHV- Compatible		Maßstab (SCALE):		Format. (FORM)		PAGE NO		PAGES	
		A4		1		1		Rauheit (ROUGHNESS)	
		DATE		NAME		Benennung (DESCRIPTION):			
		Design 14.06.2016		JB		2 off coaxial f/t, type N, 50 Ohm, grounded shield on flange DN40 CF			
		Drawn 10.06.2024		JB					
		Check 10.06.2024		AD					
01		change internal dimension from N50 f/t		Approv 10.06.2024		JB		Zeich. Nr. (Drw. No.):	
								242-N50-C40-2	
REV		Beschreibung (CHANGING)		gesp. am (SAVE DAT.): 10.06.2024		Art. Nr. (PART NO.)		REV	
								01	

