





POS-NR.	DESCRIPTION	Material	QTY
1	modified flange DN63 CF	1.4404 (316L)	1
2	Triaxial f/t, 700V, 7A, weldable	Stainless Steel	3



compatible connector
for vac and air side
245-CON-TRIAX-HQ
not included



TRIAX feedthroughs are compatible with LEMO connector LM-FFAOS650CTAC32

Bemerkungen (Remarks)		Freimaßtoleranz (Standard Toleranz)		Maßstab (Scale)		Rauheit (Roughness)		europ. Projektion	
<p>All informations provided in this drawing is considered to be confidential, proprietary and secret information. It is intended only for the use of individual or entity to whom it is sent. Individual or entity agrees to not disseminate or copy this information to anyone other than originally specified without the written consent Allectra GmbH.</p>		1:2		1:2					
		Design 05.07.2021 AD		Name		Material, Standard		Konten (edges)	
		Drawn 05.07.2021 AD		Datum		Oberfläche (treatment)			
		Check		Name		Bezeichnung (Title)		Gewicht (weight) 1101.50	
						3 off Triax f/t, weldable on flange DN63 CF		Page: 1 Pages: 1	
						allectra		Zeichnungsnummer 243-TRIAX-C63-3	
								Revision	
Index		Modification		Datum		Name		Format A4	

