




POS-NR.	DESCRIPTION	MATERIAL	QTY
1	flange DN16 CF	Stainless Steel	1
2	Pointer	2.0771 nickel silver (CW400J)	2
3	knob with scala	3.3206 EN-AW 6060	1
4	Knurbled thumb Screw M3	Stainless Steel	1
5	Hangle set for linear drive typ KK	stainless steel	1


Version 25



Set optional
614-CLD-H-1



Version	L1 max +/-1mm	L2 max +/-1mm
25	115	133,0
50	140	189,0
100	190	301,0



Bemerkungen (Remarks)				Freimaßtoleranz (Standard Toleranz)		Maßstab (Scale)	Rauheit (Roughness)	europ.Projektion	
All informations provided in this drawing is considered to be confidential, proprietary and secret information. If is intended only for the use of individual or entity to whom it is sent. Individual or entity agrees to not disseminate or copy this information to anyone other than originally specified without the written consent Alectra GmbH.				Datum	Name	1:2			
				Design	18.05.2015				JB
				Drawn	20.08.2015				JB
Check	01.09.2015		Bezeichnung (Title)		Material, Standard Oberfläche (Treatment)		Kanten (edges)		
						Linear Drive Knurled Knob Flange CF16		Gewicht (weight) 9	
						Zeichnungsnummer (Drawing No.) 612-CLDX-C16		Page: 1 Pages: 2	
						Datei (File) C:\PDMStore\IC\PDMStore\		Revision	
Index	Modification	Datum	Name					Format A4	