





POS-NR.	DESCRIPTION	MATERIAL	QTY
1	modified flange DN63 ISO-K	1.4301 (304)	1
2	UHV Fiberoptic f/t, with SMA connector	Stainless Steel	1



Pos.2 is available with 50/200/400/600 μm UV dimensions are the same



Bemerkungen (Remarks)				Freimaßtoleranz (Standard Tolerance)		Maßstab (Scale)	Rauheit (Roughness)		europ.Projektion		
All informations provided in this drawing is considered to be confidential, proprietary and secret information. If is intended only for the use of individual or entity to whom it is sent. Individual or entity agrees to not disseminate or copy this information to anyone other than originally specified without the written consent Allecra GmbH.				Datum		Name	Material, Standard Oberfläche (Treatment)		Kanten (edges)		
											1:2
				Design		09.06.2022	AD	Bezeichnung (Title) 1 off fibre optic f/t UV on flange DN63 ISO-K		Gewicht (weight) g	
				Drawn		09.06.2022	AD			Page: 1 Pages: 1	
				Check						Revision	
							Zeichnungsnummer (Drawing No.)		Revision		
							150-FFT-UVX-ISO63				
Index				Modification		Date	Name	Datei (File) C:\PDM-Store\IC:\PDM-Store\		Format A4	

