





### Gender Adapter in combination with 211-MS50-HV



POS-NR.	DESCRIPTION	Material	QTY
1	Front Plate for SUB-D 50 Pin	PEEK	2
2	SUB-D Screw 4-40 UNC	1.4841 (X15CrNiSi25-21)	2
3	Lock washer D=2,3	Stainless Steel	2
4	Female SUB-D Contact	2.1247 (CuBe2) gold plated	50





SCHNITT F-F




### Gender Adapter in combination with 211-MS50-PK or 211-MS50-UHV

POS-NR.	DESCRIPTION	Material	QTY
5	Countersunk Screw M2X10	Stainless Steel	2
6	Hexagon Nut M2 DIN934	Stainless Steel	2
7	Screw 4-40 UNC	Stainless Steel	2



UHV / PEEK Connector 50 pin



Show the front to contact SUB-D f/t

Bemerkungen (Remarks)		Freimaßtoleranz (Standard Toleranz)		Maßstab (Scale)	Rauheit (Roughness)	europ.Projektion
All informations provided in this drawing is considered to be confidential, proprietary and secret information. It is intended only for the use of individual or entity to whom it is sent. Individual or entity agrees to not disseminate or copy this information to anyone other than originally specified without the written consent Alletra GmbH.				1:1		
		Datum	Name	Material, Standard Oberfläche (Treatment)		Kanten (edges)
		Design 06.03.2014	JB	Bezeichnung (Title)		Gewicht (weight)
		Drawn 08.07.2014	JB	Gender Adapter 50 pin		23.58
		Check		UHV Version		Page: 5
				Zeichnungsnummer (Drawing No.)		Pages: 5
				211-D50-GA-PK		Revision
Index	Modification	Datum	Name	Datei (File) C:\PDMStore\C\PDMStore\		Format A4

